

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	867	(PDP or plasma same display\$ same panel\$6) and first same reset\$6 same period\$1 and second same reset\$6 same period\$1 and (follow \$6 and first same reset\$6 same period\$1 and address\$6 same period\$1 and sustain\$6 same period \$1)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/11 09:43
L2	176	(PDP or plasma same display\$ same panel\$6) and first same reset\$6 same period\$1 and second same reset\$6 same period\$1 and (follow \$6 and first same reset\$6 same period\$1 and address\$6 same period\$1 and sustain\$6 same period \$1) and (set\$6 same plural \$6 same discharge\$6 same cell\$1 and first same reset\$6 same period)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/11 09:52
L3	74	(PDP or plasma same display\$ same panel\$6) and first same reset\$6 same period\$1 and second same reset\$6 same period\$1 and (follow \$6 and first same reset\$6 same period\$1 and address\$6 same period\$1 and sustain\$6 same period \$1) and (set\$6 same plural \$6 same discharge\$6 same cell\$1 and (first same reset\$6 same period) and first same reset\$6 same period\$1 and ris\$6 same voltage\$1 same period\$1 and fall\$6 same voltage\$1 same period\$1)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/11 09:54

L4	17	(PDP or plasma same display\$ same panel\$6) and first same reset\$6 same period\$1 and second same reset\$6 same period\$1 and (follow \$6 and first same reset\$6 same period\$1 and address\$6 same period\$1 and sustain\$6 same period \$1) and (set\$6 same plural \$6 same discharge\$6 same cell\$1 and (first same reset\$6 same period) and first same reset\$6 same period\$1 and ris\$6 same voltage\$1 same period\$1 and fall\$6 same voltage\$1 same period\$1) and reset\$6 same waveform\$6 same appl\$6 and first same electrode\$1 and gradual \$6 same rise\$6 and during and ris\$6 same voltage\$1 same period\$1 and gradual\$6 same fall\$6 and during and fal\$6 same voltage\$1 same period\$1	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/11 09:54
L5	17	(PDP or plasma same display\$ same panel\$6) and first same reset\$6 same period\$1 and second same reset\$6 same period\$1 and (follow \$6 and first same reset\$6 same period\$1 and address\$6 same period\$1 and sustain\$6 same period \$1) and (set\$6 same plural \$6 same discharge\$6 same cell\$1 and (first same reset\$6 same period) and first same reset\$6 same period\$1 and ris\$6 same voltage\$1 same period\$1 and fall\$6 same voltage\$1 same period\$1) and reset\$6 same waveform\$6 same appl\$6 and first same electrode\$1 and gradual \$6 same rise\$6 and during and ris\$6 same	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/11 09:56

		voltage\$1 same period\$1 and gradual\$6 same fall\$6 and during and fal\$6 same voltage\$1 same period\$1 and (set\$6 same plural\$6 same discharge\$6 same cell\$1 and second same reset\$6 same period\$1) and (select\$6 and discharge\$6 same cell\$1 and plural\$6 same discharge\$6 same cell\$1)				
L6	5	(PDP or plasma same display\$ same panel\$6) and first same reset\$6 same period\$1 and second same reset\$6 same period\$1 and (follow \$6 same first same reset \$6 same period\$1 and address\$6 same period\$1 and sustain\$6 same period \$1) and (set\$6 same plural \$6 same discharge\$6 same cell\$1 and (first same reset\$6 same period) and first same reset\$6 same period\$1 and ris\$6 same voltage\$1 same period\$1 and fall\$6 same voltage\$1 same period\$1) and reset\$6 same waveform\$6 same appl\$6 and first same electrode\$1 and gradual \$6 same rise\$6 and during and ris\$6 same voltage\$1 same period\$1 and gradual\$6 same fall\$6 and during and fal\$6 same voltage\$1 same period\$1 and (set\$6 same plural\$6 same discharge\$6 same cell\$1 and second same reset\$6 same period\$1) and (select\$6 and discharge\$6 same cell\$1 and plural\$6 same discharge\$6 same cell\$1)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/11 09:57

L7	5	(PDP or plasma same display\$ same panel\$6) and first same reset\$6 same period\$1 and second same reset\$6 same period\$1 and (follow \$6 same first same reset \$6 same period\$1 and address\$6 same period\$1 and sustain\$6 same period \$1) and (set\$6 same plural \$6 same discharge\$6 same cell\$1 and (first same reset\$6 same period) and first same reset\$6 same period\$1 and ris\$6 same voltage\$1 same period\$1 and fall\$6 same voltage\$1 same period\$1) and reset\$6 same waveform\$6 same appl\$6 and first same electrode\$1 and gradual \$6 same rise\$6 and during and ris\$6 same voltage\$1 same period\$1 and gradual\$6 same fall\$6 and during and fal\$6 same voltage\$1 same period\$1 and (set\$6 same plural\$6 same discharge \$6 same cell\$1 and second same reset\$6 same period\$1) and (select\$6 and discharge\$6 same cell\$1 and plural\$6 same discharge\$6 same cell\$1) and address\$6 same period\$1 and discharg\$6 same cell\$1 and sustain\$6 same period \$1	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/11 09:58
L8	92	(PDP or plasma same display\$ same panel\$6) and first same reset\$6 same period\$1 and second same reset\$6 same period\$1 and (follow \$6 same first same reset \$6 same period\$1 same address\$6 same period\$1 same sustain\$6 same period\$1)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/11 10:01

L9	0	(PDP or plasma same display\$ same panel\$6) and first same reset\$6 same period\$1 and second same reset\$6 same period\$1 and (follow \$6 adj (first same reset\$6 same period\$1) and address\$6 same period\$1 and sustain\$6 same period \$1) and (set\$6 same plural \$6 same discharge\$6 same cell\$1 and first same reset\$6 same period)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/11 10:02
L10	0	(PDP or plasma same display\$ same panel\$6) and first same reset\$6 same period\$1 and second same reset\$6 same period\$1 and follow \$6 adj (first same reset\$6 same period\$1)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/11 10:03
L11	0	(PDP or plasma same display\$ same panel\$6) and plural\$6 same reset \$6 same period\$1 and follow\$6 adj (first same reset\$6 same period\$1)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/11 10:04
L12	385	(PDP or plasma same display\$ same panel\$6) and plural\$6 same reset \$6 same period\$1 and (follow\$6 or after) same (first same reset\$6 same period\$1)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/11 10:05
L13	0	(PDP or plasma same display\$ same panel\$6) and plural\$6 same reset \$6 same period\$1 and (follow\$6 or after) adj (first same reset\$6 same period\$1)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/11 10:05
L14	175	(PDP or plasma same display\$ same panel\$6) and plural\$6 same reset \$6 same period\$1 and address\$6 same period adj (follow\$6 or after) and (first same reset\$6 same period\$1)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/11 10:06

L15	171	(PDP or plasma same display\$ same panel\$6) and plural\$6 same reset \$6 same period\$1 and address\$6 same period adj (follow\$6 or after) and (first same reset\$6 same period\$1) and sustain\$6 same period\$1	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/11 10:07
L16	171	(PDP or plasma same display\$ same panel\$6) and plural\$6 same reset \$6 same period\$1 and (address\$6 same period adj (follow\$6 or after) and (first same reset\$6 same period\$1) and sustain\$6 same period\$1)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/11 10:07
L17	142	(PDP or plasma same display\$ same panel\$6) and plural\$6 same reset \$6 same period\$1 and address\$6 same period adj (follow\$6 or after) and (first same reset\$6 same period\$1) and sustain\$6 same period\$1 adj (follow \$6 or after)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/11 10:09
L18	27	(PDP or plasma same display\$ same panel\$6) and plural\$6 same reset \$6 same period\$1 and address\$6 same period adj (follow\$6 or after) and (first same reset\$6 same period\$1) and first same reset\$6 same period\$1 same rise\$6 same voltage \$! same period\$1	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/11 10:13
L19	27	(PDP or plasma same display\$ same panel\$6) and plural\$6 same reset \$6 same period\$1 and address\$6 same period adj (follow\$6 or after) and (first same reset\$6 same period\$1) and first same reset\$6 same period\$1 same rise\$6 same voltage \$! same period\$1	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/11 10:13

L20	27	(PDP or plasma same display\$ same panel\$6) and plural\$6 same reset \$6 same period\$1 and address\$6 same period adj (follow\$6 or after) and (first same reset\$6 same period\$1) and first same reset\$6 same period\$1 same rise\$6 same voltage \$1 same period\$1 and fall \$6 same voltage\$1 same period\$1	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/11 10:14
L21	24	(PDP or plasma same display\$ same panel\$6) and plural\$6 same reset \$6 same period\$1 and address\$6 same period adj (follow\$6 or after) and (first same reset\$6 same period\$1) and first same reset\$6 same period\$1 same (rise\$6 same voltage \$1 same period\$1 and fall \$6 same voltage\$1 same period\$1)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/11 10:14
L22	0	(PDP or plasma same display\$ same panel\$6) and plural\$6 same reset \$6 same period\$1 and address\$6 same period adj (follow\$6 or after) and (first same reset\$6 same period\$1) and first same reset\$6 same period\$1 same (rise\$6 same voltage \$1 same period\$1 and fall \$6 same voltage\$1 same period\$1) same gradual\$6	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/11 10:14
L23	0	(PDP or plasma same display\$ same panel\$6) and plural\$6 same reset \$6 same period\$1 and address\$6 same period adj (follow\$6 or after) and (first same reset\$6 same period\$1) and (first same reset\$6 same period\$1 same (rise\$6 same voltage \$1 same period\$1 and fall \$6 same voltage\$1 same period\$1) and gradual\$6)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/11 10:16

L24	7	(PDP or plasma same display\$ same panel\$6) and plural\$6 same reset \$6 same period\$1 and address\$6 same period adj (follow\$6 or after) and (first same reset\$6 same period\$1) and (first same reset\$6 same period\$1 same (rise\$6 same slop\$6 same voltage\$1 same period\$1 and fall\$6 same slop\$6 same voltage\$1 same period\$1))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/11 10:17
L25	24	(PDP or plasma same display\$ same panel\$6) and plural\$6 same reset \$6 same period\$1 and address\$6 same period adj (follow\$6 or after) and (first same reset\$6 same period\$1) and (first same reset\$6 same period\$1 same (rise\$6 same voltage \$1 same period\$1 and fall \$6 same voltage\$1 same period\$1))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/11 10:20
L26	7	(PDP or plasma same display\$ same panel\$6) and plural\$6 same reset \$6 same period\$1 and address\$6 same period adj (follow\$6 or after) and (first same reset\$6 same period\$1) and (first same reset\$6 same period\$1 same (rise\$6 same slop\$6 same voltage\$1 same period\$1 and fall\$6 same slop\$6 same voltage\$1 same period\$1))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/11 10:20
L27	2	(PDP or plasma same display\$ same panel\$6) and plural\$6 same reset \$6 same period\$1 and address\$6 same period adj (follow\$6 or after) and (first same reset\$6 same period\$1) and (first same reset\$6 same period\$1 same (rise\$6 same voltage \$1 same period\$1 and fall \$6 same voltage\$1 same period\$1)) and reset\$6	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/11 10:21

		same waveform\$6 same appl\$6 and first same electrode\$1 and gradual\$6 same rise\$6 and during and ris\$6 same voltage\$1 same period\$1 and gradual\$6 same fall\$6 and during and fal\$6 same voltage\$1 same period\$1 and (set\$6 same plural\$6 same discharge\$6 same cell\$1 and second same reset\$6 same period\$1) and (select\$6 and discharge\$6 same cell\$1 and plural\$6 same discharge\$6 same cell\$1) and address\$6 same period\$1 and discharg\$6 same cell\$1 and sustain\$6 same period\$1				
L28	1938	(PDP or plasma same display\$6 same panel\$6) and reset\$6 same waveform\$6 same appl\$6 same first electrode\$1 same gradual\$6 SAME rise\$6	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/11 10:28
L29	577	(PDP or plasma same display\$6 same panel\$6) and reset\$6 same waveform\$6 same appl\$6 same first electrode\$1 same gradual\$6 SAME rise\$6 same during same ris\$6 same voltage\$1 same period\$1 same gradual\$6 same fall\$6 same during same fall\$6 same voltage\$1 same period\$1	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/11 10:29
L30	545	(PDP or plasma same display\$6 same panel\$6) and reset\$6 same waveform\$6 same appl\$6 same first electrode\$1 same gradual\$6 SAME rise\$6 same during same ris\$6 same voltage\$1 same period\$1 same gradual\$6 same fall\$6 same during same fall\$6 adj voltage\$1 same period\$1	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/11 10:53

L31	541	(PDP or plasma same display\$6 same panel\$6) and reset\$6 same waveform\$6 same appl\$6 same first electrode\$1 same gradual\$6 SAME rise \$6 same during same ris \$6 adj voltage\$1 same period\$1 same gradual\$6 same fall\$6 same during same fall\$6 adj voltage\$1 same period\$1	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/11 10:53
L32	0	(PDP or plasma same display\$6 same panel\$6) and reset\$6 same waveform\$6 same appl\$6 same first same electrode \$1 same gradual\$6 SAME rise\$6 same during same ris\$6 adj voltage\$1 same period\$1 same gradual\$6 same fall\$6 same during same fall\$6 adj voltage\$1 same period\$1	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/11 10:54
L33	1	(PDP or plasma same display\$6 same panel\$6) and reset\$6 same waveform\$6 same appl\$6 same first same electrode \$1 same gradual\$6 SAME rise\$6 same during same ris\$6 same voltage\$1 same period\$1 same gradual\$6 same fall\$6 same during same fall\$6 same voltage\$1 same period\$1	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/11 10:54
L34	68	(PDP or plasma same display\$6 same panel\$6) and reset\$6 adj waveform \$6 same appl\$6 same first same electrode\$1	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/11 10:56

L35	0	(PDP or plasma same display\$6 same panel\$6) and reset\$6 adj waveform \$6 same appl\$6 same first same electrode\$1 same gradual\$6 same rise\$6 same during same ris\$6 same voltage\$1 same period\$1 same gradual\$6 same fall\$6 same during same fall\$6 same voltage \$1 same period\$1	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/11 10:56
L36	0	(PDP or plasma same display\$6 same panel\$6) and reset\$6 adj waveform \$6 same appl\$6 same first same electrode\$1 same gradual\$6 same rise\$6 same during same ris\$6 same voltage\$1 same period\$1	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/11 10:57
L37	2	(PDP or plasma same display\$6 same panel\$6) and reset\$6 adj waveform \$6 same appl\$6 same first same electrode\$1 same gradual\$6 same rise\$6	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/11 10:57
L38	0	(PDP or plasma same display\$6 same panel\$6) and reset\$6 adj waveform \$6 same appl\$6 same first same electrode\$1 same gradual\$6 same rchang\$6	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/11 11:17
L39	4	(PDP or plasma same display\$6 same panel\$6) and reset\$6 adj waveform \$6 same appl\$6 same first same electrode\$1 same gradual\$6 same chang\$6	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/11 11:17
L40	16	(PDP or plasma same display\$6 same panel\$6) and reset\$6 adj waveform \$6 same appl\$6 same first same electrode\$1 and voltage\$1 same gradual\$6 same chang\$6	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/11 11:18
L41	13	(PDP or plasma same display\$6 same panel\$6) and reset\$6 adj waveform \$6 same appl\$6 same first same electrode\$1 and voltage\$1 same gradual\$6 adj chang\$6	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/11 11:19

L42	5	(PDP or plasma same display\$6 same panel\$6) and reset\$6 adj waveform \$6 same appl\$6 same first same electrode\$1 and voltage\$1 adj gradual\$6 adj chang\$6	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/11 11:19
L43	5	(PDP or plasma same display\$6 same panel\$6) and reset\$6 adj waveform \$6 same appl\$6 same first same electrode\$1 and reset\$6 adj voltage\$1 same gradual\$6 same chang\$6	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/11 11:20
L44	15	(PDP or plasma same display\$6 same panel\$6) and reset\$6 adj waveform \$6 same appl\$6 same first same electrode\$1 same reset\$6 same period\$1 and voltage\$1 same gradual\$6 same chang\$6	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/11 11:21
L45	42	(PDP or plasma same display\$6 same panel\$6) and plural\$6 same reset \$6 same period\$1 and reset\$6 adj waveform\$6 same appl\$6 same first same electrode\$1 same reset\$6 same period\$1	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/11 11:26
L46	0	(PDP or plasma same display\$6 same panel\$6) and plural\$6 same reset \$6 same period\$1 and reset\$6 adj waveform\$6 same appl\$6 adj (first same electrode\$1) same reset\$6 same period\$1	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/11 11:26
L47	0	(PDP or plasma same display\$6 same panel\$6) and plural\$6 same reset \$6 same period\$1 and reset\$6 adj waveform\$6 and appl\$6 adj (first same electrode\$1) same reset \$6 same period\$1	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/11 11:27

L48	2	(PDP or plasma same display\$6 same panel\$6) and plural\$6 same reset \$6 same period\$1 and reset\$6 adj waveform\$6 and appl\$6 adj (first same electrode\$1)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/11 11:27
L49	28	(PDP or plasma same display\$6 same panel\$6) and plural\$6 same reset \$6 same period\$1 and misfir\$6 same eras\$6 same period\$1	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/11 11:28
L50	4	(PDP or plasma same display\$6 same panel\$6) and plural\$6 same reset \$6 same period\$1 and misfir\$6 same eras\$6 adj period\$1	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/11 11:29
L51	2	"6,034,482".pn.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/11 11:44
L52	6	"6,034,482".pn. (PDP or plasma same display\$6 same panel\$6) and plural \$6 same reset\$6 same period\$1 and misfir\$6 same eras\$6 adj period\$1	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/11 11:44
L53	0	"6,034,482".pn. and (PDP or plasma same display\$6 same panel\$6) and plural \$6 same reset\$6 same period\$1 and misfir\$6 same eras\$6 adj period\$1	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/11 11:45
L54	2	"6,034,482".pn.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/11 11:45
L55	4	("5420602" "5446344" "5583527" "5744909"). PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/08/11 11:45
L56	0	("5420602" "5446344" "5583527" "5744909"). PN. and (PDP or plasma same display\$6 same panel\$6) and plural\$6 same reset\$6 same period \$1 and misfir\$6 same eras \$6 adj period\$1	US-PGPUB; USPAT; USOCR	OR	OFF	2008/08/11 11:45

L57	42	("6034482").URPN.	USPAT	OR	OFF	2008/08/11 11:46
L58	0	("6034482").URPN. and (PDP or plasma same display\$6 same panel\$6) and plural\$6 same reset \$6 same period\$1 and misfir\$6 same eras\$6 adj period\$1	USPAT	OR	OFF	2008/08/11 11:46
L59	0	"20020180669" and (PDP or plasma same display\$6 same panel\$6) and plural \$6 same reset\$6 same period\$1 and misfir\$6 same eras\$6 adj period\$1	USPAT	OR	OFF	2008/08/11 11:46
L60	0	"20020180669"	USPAT	OR	OFF	2008/08/11 11:47
L61	2	"20020180669"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/11 11:47
L62	0	"20020180669" and (PDP or plasma same display\$6 same panel\$6) and plural \$6 same reset\$6 same period\$1 and misfir\$6 same eras\$6 adj period\$1	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/11 11:47
L63	2	"20020180669"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/11 11:47
L64	2	("2002/0180669").URPN.	USPAT	OR	OFF	2008/08/11 11:48
L65	0	("2002/0180669").URPN. and (PDP or plasma same display\$6 same panel\$6) and plural\$6 same reset \$6 same period\$1 and misfir\$6 same eras\$6 adj period\$1	USPAT	OR	OFF	2008/08/11 11:48
L66	0	"20040155836" and (PDP or plasma same display\$6 same panel\$6) and plural \$6 same reset\$6 same period\$1 and misfir\$6 same eras\$6 adj period\$1	USPAT	OR	OFF	2008/08/11 11:48
L67	1	"20040155836"	USPAT	OR	OFF	2008/08/11 11:48

L68	3	"20040155836"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/11 11:49
L69	0	("2004/0155836").URPN.	USPAT	OR	OFF	2008/08/11 11:49
L70	0	"20040155836" and (PDP or plasma same display\$6 same panel\$6) and plural \$6 same reset\$6 same period\$1 and misfir\$6 same eras\$6 adj period\$1	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/11 11:50
L71	2	"6,628,087".pn.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/11 11:50
L72	0	"6,628,087".pn. and (PDP or plasma same display\$6 same panel\$6) and plural \$6 same reset\$6 same period\$1 and misfir\$6 same eras\$6 adj period\$1	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/11 11:50
L73	4	("5559402" "6211867" "6448950" "6538627").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/08/11 11:51
L74	0	("5559402" "6211867" "6448950" "6538627").PN. and (PDP or plasma same display\$6 same panel\$6) and plural\$6 same reset\$6 same period \$1 and misfir\$6 same eras \$6 adj period\$1	US-PGPUB; USPAT; USOCR	OR	OFF	2008/08/11 11:51
L75	0	("5559402" "6211867" "6448950" "6538627").PN. and (PDP or plasma same display\$6 same panel\$6) and plural\$6 same reset\$6 same period \$1 and misfir\$6 same eras \$6 adj period\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/11 11:51
L76	3	("6628087").URPN.	USPAT	OR	OFF	2008/08/11 11:52

L77	0	("6628087").URPN. and (PDP or plasma same display\$6 same panel\$6) and plural\$6 same reset \$6 same period\$1 and misfir\$6 same eras\$6 adj period\$1	USPAT	OR	OFF	2008/08/11 11:52
L78	0	("6628087").URPN. and (PDP or plasma same display\$6 same panel\$6) and plural\$6 same reset \$6 same period\$1 and misfir\$6 same eras\$6 adj period\$1	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/11 11:52
L79	2	"7,012,579".pn.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/11 11:53
L80	5	("6144349" "6320560" "6362799" "6653994" "6784859").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/08/11 11:53
L81	3	("7012579").URPN.	USPAT	OR	OFF	2008/08/11 11:53
L82	0	"7,012,579".pn. and (PDP or plasma same display\$6 same panel\$6) and plural \$6 same reset\$6 same period\$1 and misfir\$6 same eras\$6 adj period\$1	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/11 11:54
L83	0	("6144349" "6320560" "6362799" "6653994" "6784859").PN. and (PDP or plasma same display\$6 same panel\$6) and plural \$6 same reset\$6 same period\$1 and misfir\$6 same eras\$6 adj period\$1	US-PGPUB; USPAT; USOCR	OR	OFF	2008/08/11 11:54
L84	0	("7012579").URPN. and (PDP or plasma same display\$6 same panel\$6) and plural\$6 same reset \$6 same period\$1 and misfir\$6 same eras\$6 adj period\$1	USPAT	OR	OFF	2008/08/11 11:55
L85	5	"0657861"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/11 11:55

L86	5	"0657861"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/11 11:58
L87	0	"0657861" and (PDP or plasma same display\$6 same panel\$6) and plural \$6 same reset\$6 same period\$1 and misfir\$6 same eras\$6 adj period\$1	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/11 12:00
L88	0	"0657861" and (PDP or plasma same display\$6 same panel\$6) and plural \$6 same reset\$6 same period\$1	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/11 12:04

8/11/2008 12:12:45 PM

C:\Documents and Settings\pdharia\My Documents\EAST\Workspaces\10796597 08-11-2008.wsp